

AGNI[®]
SEWING THREADS
IN KG



Shade Card



MITHRA & COMPANY[®]

Ph : 0421 - 4321842 / 4242768

Kilo Cone Colour Shade Card



2015



Dealer in :

**SRI SATHU SPINNING MILLS
PARIYUR AMMAN SPINNING MILLS
VENKATESA SPINNING MILLS**



SEWING THREAD IN KILO


2/20	2/50	2/60	3/54
2/25	2/54	3/20	3/55
2/30	2/55	3/25	3/57
2/42	2/57	3/30	3/60

IN GREY, OPTIC WHITE & COLOUR

Vessel Capacity : 15kg, 25kg, 30kg, 40kg, 50kg, 60kg, 75kg, 90kg, 100kg, 125kg, 150kg,

* Daily Capacity 5000 Kg * Individual RO 100% ZLD

For Trade Enquiry 98947 38668 E-mail : md@agnithreads.in



Thread Properties

WASH FASTNESS	ISO 105 C03 (ISO 105 C03(RATING4-5))
WATER MIGRATIONAL (BLEEDING)	ISO 105 C03 (ISO E01(RATING4 MIN))
LAUNDERING	SHRINKAGE AT 100°C TYPICALLY
MELTING POINT	POLYESTER MELTS AT ABOUT 260°C
ALKALIS	MODERATE RESISTANCE TO STRONG ALKALIS HOWEVER POLYESTER HAS VERY GOOD RESISTANCE TO WEAK ALKALIS.
ACIDS	EXCEPTING EXTREME CONDITIONS POLYESTER IS UNAFFECTED BY MINERALS AND ORGANIC ACIDS.
HEAT	POLYESTER MELTS AT ABOUT 260°C
MOISTURE REGAIN	LOW 0.4%
INSECTS & MICRO ORGANISMS (MILDEW, ROT)	STRENGTH IS NOT AFFECTED BUT THE FINISHING ADDITIVES SUPPORT TO FUNGI

Mfd & Marketed by :

Mithra & Company[®]

Factory Address :

Mithra & Company[®]

S.F.No. : 164/3-B, Pachankattupalayam,
Arulpuram, Tirupur - 641 605.
Cell : 98940 66655
E-mail : factory3@agnithreads.in

Sales Office :

Mithra & Company[®]

H.O. : S.F.No. 377, Kamaraj Road, Co-op Society Complex,
TIRUPUR - 641 604. Ph : 0421 4321842 / 4242768
B.O. : 445/295, Kamalam Complex, Opp Sai School,
P.N. Road, TIRUPUR - 641 602. Ph : 0421 4244842
Email : admin@agnithreads.in / mithrasales1@agnithreads.in
Web : www.agnithreads.in

For Trade Enquiry 98947 38668 E-mail : md@agnithreads.in

252	
250	
140	
431	
450	
324	
286	
57	
207	
288	
94	
442	
440	
391	
95	
306	
66	
96	
308	
263	
443	
364	
312	
371	
ROW	1


422	
370	
140	
228	
202	
176	
380	
14	
06	
272	
111	
181	
447	
108	
138	
401	
241	
279	
438	
395	
417	
93	
130	
342	
ROW	2

149	
246	
368	
68	
161	
261	
445	
350	
374	
428	
158	
406	
70	
396	
146	
367	
415	
125	
09	
407	
121	
170	
257	
ROW	3

301	
361	
307	
404	
400	
341	
189	
353	
354	
360	
356	
357	
292	
373	
40	
126	
147	
109	
151	
328	
173	
132	
435	
376	
ROW	4

334	
22	
42	
86	
117	
53	
82	
203	
340	
348	
187	
200	
47	
36	
303	
118	
426	
386	
345	
323	
72	
67	
88	
ROW	5







Dealer in :

**SRI SATHU SPINNING MILLS
PARIYUR AMMAN SPINNING MILLS
VENKATESA SPINNING MILLS**

For Trade Enquiry 98947 38668

E-mail : md@agnithreads.in